PRODUCT INFORMATION

SSL-1200 Vertical Sleeve Labeler

The SSL-1200 vertical sleeve labeler is a new generation of dual head vertical sleeve labelers that employs two synchronized heads for record-breaking speeds.

The SSL-1200 can be run as a single lane super machine or as a dual lane multifunctional machine capable of running sleeve labels and cap seals at the same time. Sleeve Seal has created the most versatile, fastest machine in the market using the best components, the best materials and the best engineering. Faster is always better.



PRODUCT DESCRIPTION & SPECIFICATIONS

Drive Train

The SSL-1200 vertical sleeve labeler drive train features an advanced design that transfers power using timing belts for ease of maintenance and smooth power transmission. Like our other mechanical systems, Allen Bradley components provide power to precision machined parts for repeatable performance. Modular change parts make switching between formats fast and easy. Every Sleeve Seal labeler can be adjusted by the operator without tools and all provide unparalleled efficiencies and longevity.

Access Cabinet

Every Sleeve Seal machine is housed in a heavy gauge stainless steel cabinet and includes lockable service doors for ease of maintenance and safety. Access to the front of the cabinet is managed with Allen Bradley safety interlock switches to ensure safety. Operators are able to manage operation and changeovers using a customized HMI and synchronized adjusters.

Cutter Box

Our patented cutter box design utilizes four to eight synchronized cutting blade heads for fast, precise cuts that won't leave jagged film ends. Sleeve Seal cutter boxes use common, affordable utility blades that can be found in a local hardware store with other blade types available for use in harsh environments. Sleeve Seal's modular design allows for easy replacement of blades and fast changeovers between formats.

SSL-1200 Production Rate:	1200 CPM
Bottle Sizes:	25 - 128 mm diameter
Label Length:	25 - 300 mm
Label Thickness:	40 - 80 micron (μm)
Materials:	PET, PVC, OPS

